

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
Less than 1.000" Rectangles								
NRS025-028 SP	0.782	0.822	0.750		0.032	0.032	0.020	
NR026-209A-XXX/AL	0.812	2.281	0.750	0.250	0.093	0.093	0.032	
NR026-209B-XXX/AL	0.812	2.281	0.750	0.250	0.156	0.093	0.032	
NR029-205.5A-XXX/AL	0.885	2.160	1.188	0.250	0.620	0.156	0.020	
NR28.6-109.1A-XXX/AL	0.893	1.284	0.875	0.312	0.062	0.109	0.020	
NR029-121A-XXX/AL	0.906	1.656	1.000	0.500	0.156	0.250	0.050	
NR029-205.5A-XXX/AL	0.906	2.170	2.625	1.000	0.063	0.156	0.020	
NRO31.5-208A-XXX/AL	0.968	2.250	0.625	0.188	0.063	0.156	0.020	
NR031-329.5A-XXX/AL	0.968	3.921	0.547	0.281	0.040	0.125	0.040	
NR031.5-210.5A-XXX/AL	0.984	2.320	3.000	0.500	0.125	0.188	0.050	
NR031.5-216A-XXX/AL	0.984	2.500	2.060	0.312	0.125	0.125	0.020	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
1.000" - 1.415" Rectangles								
NR100-200A-XXX/AL	1.000	2.000	1.000	0.375	0.125	0.125	0.032	
NR100-200B-XXX/AL	1.000	2.000	1.000	0.500	0.250	0.125	0.032	
NR100-224A-XXX/AL	1.000	2.750	1.000	0.250	0.125	0.219	0.040	
NR102-108A-XXX/AL	1.053	1.245	1.000	0.156	0.156	0.125	0.063	
NR102-202A-XXX/AL	1.062	2.062	2.281	0.375	0.125	0.125	0.032	
NR102.6-129A-XXX/	1.080	1.906	1.000	0.250	0.125		0.032	
NR104-224A-XXX/AL	1.125	2.750	1.000	0.437	0.188	0.188	0.050	
NR104-324A-XXX/AL	1.125	3.750	4.125	0.500	0.188	0.218	0.040	
NR104-324A-XXX/AL	1.125	3.750	4.500	2.000	0.188	0.188	0.040	
NR104.5-200A-XXX/AL	1.148	2.000	1.000	0.188	0.063	0.090	0.040	
NR106-124A-XXX/AL	1.187	1.750	1.188	0.250	0.094	0.094	0.040	
NR106-306A-XXX/AL	1.187	3.187	1.125	0.250	0.094	0.125	0.032	
NR107-208A-XXX/AL	1.218	2.250	0.875	0.250	0.093	0.093	0.020	
NR107.5-422A-XXX/AL	1.234	4.687	1.125	0.312	0.125	0.125	0.032	
NR108-116A-XXX/AL	1.250	1.500	2.750	0.312	0.125	0.125	0.050	
NR108-124A-XXX/AL	1.250	1.750	1.000	0.250	0.094	0.094	0.020	
NR108-200A-XXX/AL	1.250	2.000	1.375	0.375	0.188	0.188	0.040	
NR108-220A-XXX/AL	1.250	2.625	1.125	0.312	0.125	0.125	0.040	
NR108.5-308.5C-XXX/AL	1.260	3.265	0.312	0.188	0.030	0.171	0.032	
NR110-200-XXX/AL	1.312	2.000	1.000	0.312	0.093	0.125	0.032	
NR110-302A-XXX/AL	1.312	3.062	1.250	0.250	0.093	0.093	0.032	
NR110-308A-XXX/AL	1.312	3.250	0.875	0.250	0.062	0.125	0.020	OLT
NR110-430.2A-XXX/AL	1.312	4.966	1.312	0.312	0.190	0.190	0.040	
NR111.7-304.7A-XXX/AL	1.365	3.146	4.250	0.312	0.125	0.188	0.032	
NR112-500A-XXX/AL	1.375	5.000	1.500	0.375	0.188	0.188	0.040	
NR112-504A-XXX/AL	1.375	5.125	1.750	0.375	0.188	0.188	0.040	OLT
NR112-504B-XXX/AL	1.375	5.125	1.750	0.500	0.250	0.188	0.040	
NR112.8-312.8-XXX/AL	1.400	3.400	0.800	0.500	0.172	0.094	0.032	
NR112.8-312.9A-XXX/AL	1.400	3.400	1.125	0.375	0.093	0.170	0.032	
NRS113-314A	1.415	3.450	0.500	0.250	0.032	0.063	0.032	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
1.437" - 1.750" Rectangles								
NR114-200A-XXX/AL	1.437	2.000						
NR114-214A-XXX/AL	1.437	2.437	1.250	0.250	0.094	0.094	0.040	
NR114-504A-XXX/AL	1.437	5.125	1.250	0.375	0.156	0.093	0.040	
NR115-700A-XX/AL	1.468	7.000	1.000	0.312	0.094	0.125	0.032	
NR116-127.5A-XXX/AL	1.500	1.860	1.375	0.375	0.125	0.125	0.040	
NR116-200A-XXX/AL	1.500	2.000	1.500	0.375	0.125	0.188	0.040	
NR116-200B-XXX/AL	1.500	2.000	1.500	0.500	0.250	0.188	0.040	
NR116-306.4A-XXX/AL	1.500	3.200	1.500	0.210	0.210	0.210	0.040	
NR116-316A-XXX/AL	1.500	3.500	1.880	0.250	0.125	0.125	0.040	
NR116-324A-XXX/AL	1.500	3.750	1.500	0.312	0.125	0.188	0.040	
NR117.5-511A-XXX/AL	1.545	5.343	1.437	0.250	0.125	0.125	0.050	
NR119.5-319.5A-XXX/AL	1.610	3.610	1.250	0.312	0.093	0.093	0.040	
NR119.5-319.5C-XXX/AL	1.610	3.610	1.610	0.187	0.078	0.078	0.063	
NR120-220A-XXX/AL	1.625	2.625	1.625	0.250	0.078	0.078	0.063	
NR120-224A-XX/AL	1.625	2.750	1.625	0.375	0.188	0.188	0.063	
NR120-224C-XXX/AL	1.625	2.750	1.625	0.312	0.080	0.188	0.063	
NR120-408.5B-XXX/AL	1.625	4.265	1.000	0.375	0.188	0.188	0.040	
NR120-524A-XXX/AL	1.625	5.750	1.625	0.312	0.188	0.188	0.050	
NR120-819.5S-XXX/AL	1.625	8.609	0.750	0.277	0.090	0.812	0.050	
NR124-200A-XXX/AL	1.750	2.000	1.000	0.437	0.188	0.188	0.040	OLT
NR124-200B-XXX/AL	1.750	2.000	1.750	0.500	0.125	0.188	0.040	
NR124-216A-XXX/AL	1.750	2.500	1.750	0.500	0.250	0.250	0.040	ILT
NR124-216B-XXX/AL	1.750	2.500	1.750	0.437	0.188	0.250	0.040	
NR124-216C-XXX/AL	1.750	2.500	1.625	0.500	0.156	0.250	0.040	
NR124-216D-XXX/AL	1.750	2.500	1.750	0.500	0.312	0.250	0.040	
NR124-224A-XXX/AL	1.750	2.750	2.250	0.500	0.312	0.250	0.050	
NR124-224B-XXX/AL	1.750	2.750	2.250	0.375	0.250	0.250	0.050	
NR124-300A-XXX/AL	1.750	3.000	1.625	0.375	0.125	0.125	0.040	
NR124-300B-XXX/AL	1.750	3.000	1.625	0.437	0.188	0.125	0.040	
NR124-300C-XXX/AL	1.750	3.000	1.500	0.375	0.117	0.125	0.050	OLT

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
1.750" - 1.999" Rectangles								
NR124-300D-XXX/AL	1.750	3.000	1.750	0.500	0.125	0.134	0.032	
NR124-500A-XXX/AL	1.750	5.000	4.000	0.375	0.188	0.188	0.040	
NR124-500A-XXX/AL	1.750	5.000	1.750	0.375	0.188	0.188	0.040	
NR125-206C-XXX/AL	1.781	2.187	1.625	0.375	0.188	0.188	0.090	
NR125.5-205.5A-XXX/AL	1.793	2.168	1.625	0.375	0.188	0.188	0.090	
NR126-305A-XXX\AL	1.812	3.156	0.656	0.281	0.062	0.125	0.020	
NR127-307A-XXX/AL	1.843	3.218	4.000	0.375	0.125	0.125	0.040	
NR128-409A-XXX/AL	1.875	4.281	3.250	0.500	0.250	0.250	0.032	
NR128-410A-XXX/AL	1.875	4.312	5.000	0.500	0.188	0.250	0.050	
NR128-410A-XXX/AL	1.875	4.312	1.750	0.500	0.188	0.250	0.050	
NR128.5-216A-XXX/AL	1.890	2.500	1.750	0.280	0.093	0.093	0.032	
NR129-313A-XXX/AL	1.906	3.406	1.875	0.250	0.125	0.218	0.050	
NR130-231A-XXX/AL	1.937	2.968	1.250	0.250	0.062	0.109	0.032	
NR130-330A-XXX/AL	1.937	3.937	2.031	0.375	0.125	0.188	0.040	OLG
NR130-617A-XXX/AL	1.937	6.531	1.875	0.375	0.125	0.188	0.040	
NR131-317.5A-XXX/AL	1.968	3.547	1.875	0.312	0.062	0.250	0.020	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
2.000" - 2.125" Rectangles								
NR200-208A-XXX/AL	2.000	2.250	1.812	0.312	0.125	0.125	0.040	
NR200-209A-XXX/AL	2.000	2.281	1.875	0.312	0.125	0.218	0.032	
NR200-210A-XXX/AL	2.000	2.312	4.875	0.250	0.062	0.375	0.032	
NR200-214A-XXX/AL	2.000	2.437	2.000	0.359	0.172	0.172	0.032	
NR200-216A-XXX/AL	2.000	2.500	2.250	0.500	0.188	0.188	0.050	ILT
NR200-216B-XXX/AL	2.000	2.500	2.250	0.625	0.312	0.188	0.050	
NR200-230A-XXX/AL	2.000	2.937	2.000	0.375	0.125	0.172	0.040	
NR200-300A-XXX/AL	2.000	3.000	2.312	0.500	0.188	0.188	0.050	OLT
NR200-300B-XXX/AL	2.000	3.000	2.312	0.625	0.312	0.188	0.050	
NR200-300C-XXX/AL	2.000	3.000	3.250	0.375	0.250	0.250	0.050	
NR200-300D-XXX/AL	2.000	3.000	3.250	0.375	0.250	0.234	0.063	
NR200-300E-XXX/AL	2.000	3.000	1.375	0.375	0.125	0.213	0.020	
NR200-300F-XXX/AL	2.000	3.000	1.375	0.375	0.125	0.250	0.050	
NR200-316A-XXX/AL	2.000	3.500	2.500	0.500	0.250	0.250	0.050	OLT, ILT
NR200-316B-XXX/AL	2.000	3.500	2.500	0.625	0.375	0.250	0.050	OLT, ILT
NR200-316C-XXX/AL	2.000	3.500	1.750	0.312	0.250	0.250	0.050	
NR200-400A-XXX/AL	2.000	4.000	2.500	0.500	0.250	0.250	0.050	OLT, ILT
NR200-400B-XXX/AL	2.000	4.000	2.500	0.625	0.375	0.250	0.050	
NR200-400C-XXX/AL	2.000	4.000	2.000	0.375	0.125	0.156	0.063	OLT
NR200-400E-XXX/AL	2.000	4.000	3.750	0.315	0.125	0.125	0.063	
NR200-425C-XXX/AL	2.000	4.781	0.375	0.250	0.031	0.094	0.032	
NR200-516A-XXX/AL	2.000	5.500	2.250	0.625	0.312	0.312	0.050	ILT
NR200-516B-XXX/AL	2.000	5.500	2.250	0.750	0.437	0.312	0.050	
NR200.5-309.5-XXX/AL	2.016	3.297	2.000	0.312	0.188	0.188	0.032	
NR201.3-301.2A-XXX/AL	2.040	3.100	2.000	0.375	0.200	0.470	0.050	
NR201.6-416.9A-XXX/AL	2.050	4.530	1.750	0.250	0.090	0.105	0.050	
NR202.5-328S-XXX/AL	2.078	3.875	0.500	0.281	0.040	0.063	0.040	
NR202.5-430.5A-XXX/AL	2.078	4.953	2.000	0.312	0.188	0.190	0.040	
NR204-321A-XXX/AL	2.125	3.656	2.000	0.188	0.190	0.440	0.050	
NR204-404A-XXX/AL	2.125	4.125	2.000	0.312	0.188	0.188	0.040	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
2.125" - 2.330" Rectangles								
NR204-408B-XXX/AL	2.125	4.250	2.250	0.500	0.250	0.125	0.063	
NR204-500A-XXX/AL	2.125	5.000	2.000	0.312	0.125	0.220	0.032	
NR204-824A-XXX/AL	2.125	8.750	3.562	0.437	0.312	0.312	0.050	
NR204-824B-XXX/AL	2.125	8.750	3.562	0.625	0.437	0.312	0.050	
NR204.5-228.5A-XXX/AL	2.135	2.880	2.000	0.500	0.320	0.320	0.032	
NR204.5-623.5A-XXX/AL	2.141	6.734	0.375	0.375	0.031	0.290	0.032	
NR205-216.5A-XXX/AL	2.156	2.516	3.203	0.500	0.375	0.271	0.032	
NR205.1-500A-XXX/AL	2.160	5.000	2.750	0.500	0.203	0.239	0.050	
NR205.5-229C-XXX/AL	2.177	2.906	0.375	0.188	0.040	0.093	0.050	
NR206-228B-XXX/AL	2.187	2.875	2.250	0.312	0.125	0.125	0.063	
NR206-229C-XXX/AL	2.187	2.906	0.500	0.188	0.040	0.093	0.050	
NR206-420A-XXX/AL	2.187	4.625	2.250	0.312	0.125	0.188	0.040	
NR207.6-322.3A-XXX/AL	2.237	3.696	3.093	0.406	0.090	0.156	0.040	
NR207.5-211.5A-XXX/AL	2.240	2.350	2.000	0.812	0.625	0.240	0.032	
NR208-300A-XXX/AL	2.250	3.000	2.500	0.500	0.250	0.250	0.040	
NR208-300B-XXX/AL	2.250	3.000	2.500	0.625	0.375	0.250	0.040	
NR208-300C-XXX/AL	2.250	3.000	5.375	0.437	0.188	0.188	0.040	
NR208-308A-XXX/AL	2.250	3.250	2.000	0.375	0.125	0.125	0.040	
NR208-308B-XXX/AL	2.250	3.250	2.000	0.437	0.188	0.125	0.040	
NR208-310A-XXX/AL	2.250	3.312	2.000	0.375	0.188	0.188	0.040	
NR208-324A-XX/AL	2.250	3.750	2.375	0.312	0.125	0.250	0.040	OLT
NR208-324C-XXX/AL	2.250	3.750	2.250	0.406	0.219	0.219	0.032	
NR208-504A-XXX/AL	2.250	5.125	2.000	0.437	0.188	0.188	0.050	ILT
NR208.5-308.5A-XXX/AL	2.265	3.265	1.125	0.375	0.188	0.188	0.040	
NR209-313.5A-XXX/AL	2.281	3.421	1.500	0.250	0.063	0.094	0.032	
NR209-430A-XXX/AL	2.281	4.937	2.250	0.375	0.250	0.250	0.050	
NR210-220A-XXX/AL	2.312	2.625	2.312	0.250	0.078	0.078	0.063	
NR210-412A-XXX/AL	2.312	4.375	2.250	0.312	0.094	0.078	0.040	OLT
NR210.3-400A-XXX/AL	2.321	4.000	4.750	2.000	0.093	0.093	0.050	
NR210.5-602C-XXX/AL	2.330	6.062	1.500	0.250	0.062	0.250	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
2.360" - 2.500" Rectangles								
NR211.5-324A-XXX/AL	2.360	3.750	2.360	0.250	0.120	0.120	0.063	
NR212-224A-XXX/AL	2.375	2.750	2.500	0.437	0.188	0.188	0.040	
NR212-224B-XXX/AL	2.375	2.750	2.500	0.562	0.312	0.188	0.040	
NR212-308A-XXX/AL	2.375	3.250	2.125	0.375	0.250	0.125	0.050	
NR212-308B-XXX/AL	2.375	3.250	2.250	0.312	0.188	0.125	0.050	
NR212-528A-XXX/AL	2.375	5.875	2.000	0.312	0.188	0.188	0.063	OLT
NR215-428A-XXX/AL	2.468	4.875	1.000	0.500	0.125	0.125	0.040	
NR215-500A-XXX/AL	2.468	5.000	4.500	0.375	0.125	0.125	0.040	
NR215-428S	2.475	4.875	.900 PINCH TRIM		0.093	0.093	0.040	
NR215.5-724SA-XXX/AL	2.480	7.765	.980 PINCH TRIM		0.125	0.125	0.040	
NR215.5-301A-XXX/AL	2.484	3.031	4.875	0.250	0.062	0.250	0.032	
NR215.5-431.5A-XXX/AL	2.484	4.985	2.125	0.312	0.093	0.093	0.032	
NR215.5-924A-XXX/AL	2.484	9.750	.980 PINCH TRIM		0.093	0.093	0.040	
NR216-300A-XXX/AL	2.500	3.000	2.500	0.500	0.250	0.250	0.050	
NR216-300B-XXX/AL	2.500	3.000	2.750	0.625	0.375	0.250	0.050	
NR216-316A-XXX/AL	2.500	3.500	2.500	0.500	0.250	0.250	0.050	
NR216-316B-XXX/AL	2.500	3.500	3.437	0.625	0.375	0.250	0.050	
NR216-316C-XXX/AL	2.500	3.500	2.500	0.375	0.125	0.250	0.050	
NR216-400A-XXX/AL	2.500	4.000	3.250	0.500	0.250	0.156	0.050	OLT, ILT
NR216-400B-XXX/AL	2.500	4.000	3.250	0.625	0.375	0.156	0.050	
NR216-400C-XXX/AL	2.500	4.000	4.375	0.500	0.250	0.250	0.050	OLT, ILT
NR216-400D-XXX/AL	2.500	4.000	2.375	0.500	0.125	0.250	0.050	
NR216-400C-XXX/AL	2.500	4.000	2.375	0.500	0.250	0.250	0.050	
NR216-409A-XXX/AL	2.500	4.281	2.000	0.375	0.188	0.188	0.032	OLT
NR216-418A-XXX/AL	2.500	4.562	1.750	0.250	0.093	0.140	0.040	
NR216-418B-XXX/AL	2.500	4.562	2.593	0.250	0.125	0.140	0.040	
NR216-500A-XXX/AL	2.500	5.000	3.250	0.500	0.250	0.250	0.063	ILT
NR216-500B-XXX/AL	2.500	5.000	3.250	0.625	0.375	0.250	0.063	
NR216-500C-XXX/AL	2.500	5.000	4.500	0.375	0.125	0.125	0.040	
NR216-600A-XXX/AL	2.500	6.000	3.250	0.375	0.250	0.250	0.063	OLT

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
2.500" - 2.906" Rectangles								
NR216-600B-XXX/AL	2.500	6.000	3.250	0.500	0.312	0.250	0.063	
NR216-600C-XXX/AL	2.500	6.000	2.250	0.437	0.250	0.270	0.032	
NR216-600C-XXX/AL	2.500	6.000	2.750	0.500	0.250	0.250	0.032	
NR216-616A-XXX/AL	2.500	6.500	1.500	0.375	0.125	0.188	0.050	
NR216-1016A-XXX/AL	2.500	10.500	1.437	0.375	0.125	0.188	0.063	
NR216.5-400.5D-XXX/AL	2.515	4.015	2.000	0.500	0.125	0.250	0.050	
NR217-423A-XXX/AL	2.531	4.718	2.625	0.312	0.125	0.125	0.063	OLT
NR217-423C-XXX/AL	2.531	4.718	2.250	0.312	0.125	0.136	0.050	
NR218-919C-XXX/AL	2.562	9.593	0.625	0.343	0.063	0.500	0.063	
NR220-317A-XXX/AL	2.625	3.531	2.500	0.437	0.250	0.210	0.050	
NR220-426A-XXX/AL	2.625	4.812	2.500	0.312	0.188	0.188	0.050	
NR220.5-224.5C-XXX/AL	2.640	2.765	0.375	0.250	0.032	0.188	0.040	
NR220.5-525A-XXX/AL	2.640	5.781	2.500	0.375	0.188	0.188	0.032	ILT
NR222-412A-XXX/AL	2.687	4.375	2.790	0.375	0.094	0.265	0.032	
NR222-422A-XXX/AL	2.687	4.687	1.781	0.375	0.110	0.110	0.063	
NR222-723	2.687	7.781	2.000				0.032	
NR222-800A-XXX/AL	2.687	8.000	2.500	0.312	0.125	0.125	0.050	
NR222-1030A-XXX/AL	2.687	10.937	2.000	0.250	0.125	0.250	0.063	
NR223-425C-XXX/AL	2.718	4.781	0.375	0.188	0.031	0.312	0.032	
NR223.5-619.5C-XXX/AL	2.734	6.609	0.500	0.282	0.032	0.344	0.050	
NR224-300A-XXX/AL	2.750	3.000	2.750	0.500	0.250	0.188	0.050	
NR224-300B-XXX/AL	2.750	3.000	2.750	0.625	0.375	0.188	0.050	
NR224-308A-XXX/AL	2.750	3.250	2.250	0.500	0.093	0.188	0.050	
NR224-322A-XXX/AL	2.750	3.687	2.250	0.375	0.188	0.188	0.040	
NR224-400A-XXX/AL	2.750	4.000	1.500	0.437	0.188	0.156	0.050	
NR224-416A-XXX/AL	2.750	4.500	1.500	0.437	0.188	0.156	0.050	OLG
NR224.5-500.5A-XXX/AL	2.765	5.015	2.250	0.312	0.188	0.188	0.032	
NR227-609.5	2.843	6.296	2.000	0.500	0.188	0.156	0.032	
NR227-607.5A-XXX/AL	2.844	6.234	1.340	0.380	0.188	0.150	0.032	ILT
NR229-622A-XXX/AL	2.906	6.687	2.875	0.188	0.156	0.156	0.032	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
2.920" - 2.999" Rectangles								
NR229.5-506.8	2.920	5.212	0.500	0.250	0.093	0.218	0.032	
NR231.4-508.7	2.980	5.272	1.750	0.375	0.125	0.250	0.032	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
3.000" - 3.000" Rectangles								
NR300-316A-XXX/AL	3.000	3.500	3.125	0.500	0.250	0.250	0.063	OLT, ILT
NR300-316B-XXX/AL	3.000	3.500	3.250	0.625	0.375	0.250	0.063	
NR300-316D-XXX/AL	3.000	3.500	3.000	0.500	0.125	0.261	0.050	
NR300-324A-XXX/AL	3.000	3.750	1.000	0.406	0.156	0.203	0.040	
NR300-400A-XXX/AL	3.000	4.000	3.250	0.500	0.250	0.250	0.063	OLT, ILT
NR300-400B-XXX/AL	3.000	4.000	3.250	0.625	0.375	0.250	0.063	
NR300-400C-XXX/AL	3.000	4.000	3.000	0.250	0.125	0.125	0.063	OLT
NR300-400D-XXX/AL	3.000	4.000	1.000	0.500	0.250	0.287	0.020	
NR300-400E-XXX/AL	3.000	4.000	2.500	0.312	0.125	0.136	0.050	
NR300-400 SP MIA	3.000	4.000	1.500	0.300	0.125	0.250	0.050	
NR300-408A-XXX/AL	3.000	4.250	3.000	0.500	0.312	0.312	0.063	
NR300-408C-XXX/AL	3.000	4.250	2.500	0.312	0.188	0.140	0.063	
NR300-408D-XXX/AL	3.000	4.250	2.500	0.500	0.125	0.140	0.063	
NR300-416A-XXX/AL	3.000	4.500	3.000	0.500	0.188	0.188	0.063	OLT, ILT
NR300-416B-XXX/AL	3.000	4.500	3.000	0.625	0.312	0.188	0.063	
NR300-424A-XXX/AL	3.000	4.750	3.000	0.437	0.188	0.290	0.050	
NR300-424C-XXX/AL	3.000	4.750	0.500	0.310	0.060	0.290	0.050	
NR300-424D-XXX/AL	3.000	4.750	3.000	0.250	0.156	0.156	0.050	
NR300-500A-XXX/AL	3.000	5.000	3.500	0.500	0.250	0.250	0.063	ILT, OLL
NR300-500B-XXX/AL	3.000	5.000	3.500	0.625	0.375	0.250	0.063	
NR300-500C-XXX/AL	3.000	5.000	3.000	0.437	0.188	0.250	0.063	
NR300-500D-XXX/AL	3.000	5.000	3.000	0.437	0.188	0.250	0.050	
NR300-508C-XXX/AL	3.000	5.250	1.750	0.406	0.172	0.172	0.040	
NR300-600A-XXX/AL	3.000	6.000	3.125	0.500	0.250	0.250	0.063	OLT, ILT
NR300-600B-XXX/AL	3.000	6.000	3.125	0.625	0.375	0.250	0.063	
NR300-600D-XXX/AL	3.000	6.000	2.250	0.500	0.375	0.375	0.125	
NR300-616A-XXX/AL	3.000	6.500	3.000	0.250	0.188	0.188	0.050	
NR300-627.8A-XXX/AL	3.000	6.870	3.000	0.375	0.370	0.250	0.080	OLL
NR300-700A-XXX/AL	3.000	7.000	3.000	0.312	0.188	0.188	0.040	OLT

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
3.000" - 3.500" Rectangles								
NR300-716A-XXX/AL	3.000	7.500	3.000	0.375	0.250	0.312	0.063	
NR300-716B-XXX/AL	3.000	7.500	3.000	0.500	0.312	0.312	0.063	
NR300-800A-XXX/AL	3.000	8.000	2.375	0.687	0.375	0.375	0.125	
NR300-1424A	3.000	14.750	2.500	0.500	0.188	0.188	0.063	
NR301-722A-XXX/AL	3.031	7.687	2.500	0.437	0.062	0.188	0.040	
NR302-402A-XXX/AL	3.060	4.060	6.234	0.500	0.140	0.140	0.040	
NR302-402A-XXX/AL	3.062	4.062	6.125	2.000	0.140	0.140	0.040	
NR302-708A-XXX/AL	3.062	7.250	3.500	0.375	0.188	0.250	0.050	
NR302-708B-XXX/AL	3.062	7.250	3.875	0.375	0.250	0.250	0.050	
NR304-316A-XXX/AL	3.125	3.500	3.000	0.406	0.188	0.188	0.050	
NR304-400A-XXX/AL	3.125	4.000	3.500	0.250	0.090	0.090	0.063	
NR304-508A-XXX/AL	3.125	5.250	2.250	0.345	0.094	0.188	0.020	
NR304-628A-XXX/AL	3.125	6.875	3.000	0.625	0.312	0.312	0.090	
NR305.5-331A	3.171	3.968	6.500		0.093	0.063	0.050	
NR306.5-330.5-XXX/AL	3.202	3.952	0.562	0.250	0.031	0.125	0.063	
NR308-408A-XXX/AL	3.250	4.250	3.000	0.312	0.188	0.188	0.050	OLT
NR308-420A-XXX/AL	3.250	4.625	3.250	0.375	0.188	0.188	0.050	
NR308-508A-XXX/AL	3.250	5.250	3.250	0.500	0.250	0.250	0.050	OLT
NR308-508C-XXX/AL	3.250	5.250	6.000	0.625	0.437	0.312	0.050	
NR308-508D-XXX/AL	3.250	5.250	3.250	0.625	0.312	0.312	0.050	
NR308-1016A-XXX/AL	3.250	10.500	4.625	0.500	0.218	0.250	0.050	
NR309.5-516C-XXX/AL	3.297	5.500	1.000	0.188	0.093	0.250	0.040	
NR311-403A-XXX/AL	3.343	4.093	7.000	0.500	0.250	0.188	0.063	
NR312-420A-XXX/AL	3.375	4.625	3.625	0.375	0.156	0.281	0.040	
NR312-420B-XXX/AL	3.375	4.625	3.625	0.275	0.250	0.281	0.040	
NR312-500A-XXX/AL	3.375	5.000	2.500	0.375	0.188	0.330	0.050	
NR312-509.5A-XXX/AL	3.375	5.296	3.000	0.312	0.188	0.328	0.090	
NR312-604A-XXX/AL	3.375	6.125	3.000	0.500	0.250	0.188	0.063	
NR316-319A-XXX/AL	3.500	3.593	3.500	0.312	0.125	0.250	0.050	
NR316-400A-XXX/AL	3.500	4.000	3.500	0.500	0.250	0.250	0.063	OLT

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT	TRIM HEIGHT	BOTTOM	SIDE	BLANK	COVERS
			MAXIMUM	MINIMUM	RADIUS	RADIUS	THICKNESS	
3.500" - 3.750" Rectangles								
NR316-400B-XXX/AL	3.500	4.000	3.500	0.625	0.375	0.250	0.063	
NR316-406A-XXX/AL	3.500	4.187	2.750	0.312	0.125	0.250	0.063	
NR316-416A-XXX/AL	3.500	4.500	3.500	0.500	0.250	0.250	0.063	
NR316-416B-XXX/AL	3.500	4.500	3.500	0.625	0.375	0.250	0.063	
NR316-424A-XXX/AL	3.500	4.750	3.000	0.375	0.156	0.200	0.050	
NR316-500A-XXX/AL	3.500	5.000	3.500	0.500	0.250	0.250	0.063	
NR316-500B-XXX/AL	3.500	5.000	3.500	0.625	0.375	0.250	0.063	
NR316-508A-XXX/AL	3.500	5.250	3.750	0.500	0.250	0.250	0.050	OLT, ILT
NR316-508B-XXX/AL	3.500	5.250	3.750	0.625	0.375	0.250	0.050	
NR316-516A-XXX/AL	3.500	5.500	3.250	0.500	0.250	0.250	0.063	
NR316-516C-XXX/AL	3.500	5.500	0.500	0.312	0.062	0.156	0.063	
NR316-516D-XXX/AL	3.500	5.500	1.250	0.375	0.093	0.188	0.063	
NR316-600A-XXX/AL	3.500	6.000	3.000	0.437	0.187	0.188	0.050	OLT, ILT
NR316-600B-XXX/AL	3.500	6.000	3.500	0.562	0.312	0.188	0.050	
NR316-616A-XXX/AL	3.500	6.500	3.250	0.437	0.188	0.188	0.050	
NR316-616B-XXX/AL	3.500	6.500	3.250	0.562	0.312	0.188	0.050	
NR316-616C-XXX/AL	3.500	6.500	1.812	0.375	0.125	0.125	0.063	
NR316-724A-XXX/AL	3.500	7.750	3.500	0.500	0.250	0.250	0.050	ILT
NR316-900A-XXX/AL	3.500	9.000	3.500	0.312	0.250	0.250	0.063	
NR318-430A-XXX/AL	3.562	4.937	4.500	0.375	0.250	0.375	0.063	
NR318.5-400A-XXX/AL	3.578	4.000	3.500	0.437	0.250	0.218	0.040	
NR319-1100A-XXX/AL	3.593	11.000	3.250	0.375	0.188	0.188	0.063	
NR319-1100B-XXX/AL	3.593	11.000	3.250	0.500	0.312	0.188	0.063	
NR320-408A-XXX/AL	3.625	4.250	6.125	0.437	0.187	0.344	0.040	
NR320-520A-XXX/AL	3.625	5.625	1.000	0.312	0.063	0.281	0.063	
NR320-824A-XXX/AL	3.625	8.750	3.562	0.500	0.312	0.312	0.050	
NR321-605A-XXX/AL	3.656	6.156	3.562	0.437	0.250	0.250	0.063	
NR322-524A-XXX/AL	3.687	5.750	3.000	0.500	0.125	0.188	0.063	
NR323.5-509A-XXX/AL	3.734	5.281	3.500	0.375	0.250	0.340	0.063	
NR323.5-509B-XXX/AL	3.734	5.281	0.625	0.250	0.062	0.250	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
3.750" - 3.999" Rectangles								
NR324-416A-XXX/AL	3.750	4.500	3.750	0.500	0.250	0.250	0.063	
NR324-416B-XXX/AL	3.750	4.500	3.750	0.625	0.375	0.250	0.063	
NR324-424A-XXX/AL	3.750	4.750	3.250	0.500	0.250	0.250	0.050	
NR324-500A-XXX/AL	3.750	5.000	5.000	0.500	0.188	0.500	0.063	OLL
NR324-500B-XXX/AL	3.750	5.000	5.000	0.750	0.312	0.500	0.063	
NR324-728A-XXX/AL	3.750	7.875	3.750	0.500	0.375	0.312	0.063	ILT
NR326-1005A-XXX/AL	3.812	10.156	1.812	0.500	0.250	0.250	0.063	
NR327-419A-XXX/AL	3.843	4.593	2.375	0.500	0.250	0.250	0.063	
NR327-419B-XXX/AL	3.843	4.593	3.500	0.375	0.188	0.250	0.063	
NR327.5-431.5A-XXX/AL	3.859	4.984	3.500	0.375	0.188	0.188	0.063	
NR327.5-431.5B-XXX/AL	3.859	4.984	3.250	0.437	0.188	0.188	0.050	
NR328-528A-XXX/AL	3.875	5.875	3.000	0.375	0.188	0.188	0.063	
NR328-528B-XXX/AL	3.875	5.875	3.000	0.500	0.312	0.188	0.063	
NR329-501A-XXX/AL	3.906	5.031	3.500	0.188	0.188	0.188	0.063	
NR329-600.5-XXX/AL	3.906	6.015	3.000	0.437	0.190	0.190	0.063	
NR329-601C-XXX/AL	3.906	6.031	3.000	0.375	0.125	0.250	0.063	
NR329.7-601.7A-XXX/AL	3.930	6.055	2.625	0.500	0.250	0.250	0.040	
NR330.5-600A-XX/AL	3.953	6.000					0.063	
NR331-431A-XXX/AL	3.968	4.968	3.750	0.312	0.188	0.188	0.040	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
4.000" - 4.187" Rectangles								
NR400-500A-XXX/AL	4.000	5.000	4.000	0.500	0.250	0.250	0.063	OLT
NR400-500B-XXX/AL	4.000	5.000	3.500	0.625	0.375	0.250	0.063	
NR400-500C-XXX/AL	4.000	5.000	3.500	0.375	0.188	0.188	0.050	
NR400-500D-XXX/AL	4.000	5.000	5.750	0.625	0.312	0.312	0.063	
NR400-500E-XXX/AL	4.000	5.000	3.000	0.250	0.093	0.125	0.040	ILT
NR400-508B-XXX/AL	4.000	5.250	4.000	0.500	0.375	0.250	0.050	
NR400-508A-XXX/AL	4.000	5.250	4.000	0.375	0.250	0.250	0.050	OLT, OLG
NR400-600A-XXX/AL	4.000	6.000	3.750	0.500	0.250	0.250	0.063	OLT, ILT, OLL
NR400-600B-XXX/AL	4.000	6.000	3.750	0.625	0.375	0.250	0.063	
NR400-600C-XXX/AL	4.000	6.000	4.000	0.500	0.250	0.266	0.040	
NR400-600D-XXX/AL	4.000	6.000	2.312	0.343	0.125	0.190	0.063	
NR400-600E-XXX/AL	4.000	6.000	2.312	0.343	0.125	0.125	0.032	
NR400-608A-XXX/AL	4.000	6.250	4.250	0.437	0.312	0.312	0.063	
NR400-616A-XXX/AL	4.000	6.500	4.250	0.500	0.312	0.312	0.063	OLT, ILT
NR400-616B-XXX/AL	4.000	6.500	4.250	0.625	0.437	0.312	0.063	
NR400-616D-XXX/AL	4.000	6.500	2.500	0.500	0.250	0.250	0.125	
NR400-616E-XXX/AL	4.000	6.500	4.000	0.500	0.125	0.323	0.050	
NR400-700A-XXX/AL	4.000	7.000	4.625	0.625	0.312	0.312	0.063	OLL
NR400-700B-XXX/AL	4.000	7.000	3.750	0.750	0.437	0.312	0.063	OLL
NR400-700C-XXX/AL	4.000	7.000	4.625	0.500	0.375	0.750	0.063	
NR400-700E-XXX/AL	4.000	7.000	0.406	0.281	0.031	0.520	0.040	
NR400-800A-XXX/AL	4.000	8.000	4.000	0.625	0.312	0.312	0.063	OLT
NR400-800B-XXX/AL	4.000	8.000	4.000	0.750	0.437	0.312	0.063	
NR400-824A-XXX/AL	4.000	8.750	3.750	0.375	0.187	0.250	0.063	
NR400-824B-XXX/AL	4.000	8.750	4.000	0.500	0.312	0.250	0.063	
NR400-900A-XXX/AL	4.000	9.000	4.500	0.625	0.250	0.250	0.063	OLT
NR400-900B-XXX/AL	4.000	9.000	4.500	0.750	0.375	0.250	0.063	
NR404-624A-XXX/AL	4.125	6.750	3.750	0.437	0.188	0.188	0.063	
NR405-419A-XXX/AL	4.156	4.593	5.375	0.437	0.188	0.375	0.040	
NR406-706A-XXX/AL	4.187	7.187	4.000	0.500	0.312	0.343	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
4.190" - 4.625" Rectangles								
NR406.1-525.6A-XXX/AL	4.190	5.800	3.000	0.500	0.250	0.312	0.090	
NR408-522A-XXX/AL	4.250	5.687	5.250	0.500	0.312	0.625	0.050	OLL
NR408-600A-XXX/AL	4.250	6.000	1.875	0.375	0.125	0.188	0.063	
NR409-801A-XXX/AL	4.281	8.031	4.500	0.750	0.500	0.343	0.050	OLT
NR410-502A-XXX/AL	4.312	5.062	5.750	0.500	0.250	0.375	0.063	
NR410-700A-XXX/AL	4.312	7.000	4.000	0.312	0.156	0.281	0.050	OLT
NR410-700C-XXX/AL	4.312	7.000	3.625	0.500	0.250	0.250	0.090	
NR411.4-601.3A-XXX/AL	4.356	6.040	4.875	0.700	0.687	0.687	0.063	
NR412-500A-XXX/AL	4.375	5.000	4.250	0.500	0.188	0.250	0.040	OLT
NR412-516A-XXX/AL	4.375	5.500	4.500	0.625	0.250	0.250	0.050	OLT
NR412-516B-XXX/AL	4.375	5.500	4.500	0.750	0.375	0.250	0.050	
NR412-528A-XXX/AL	4.375	5.875	4.625	0.375	0.250	0.250	0.063	
NR412-602A-XXX/AL	4.375	6.062	4.000	0.750	0.687	0.687	0.063	
NR412-612A-XXX/AL	4.375	6.375	6.000	0.500	0.250	0.250	0.063	OLT
NR412.8-512A-XXX/AL	4.400	5.375	8.200	0.500	0.312	0.312	0.063	
NR414-514A-XXX/AL	4.437	5.437	3.750	0.437	0.188	0.375	0.040	
NR414-816A-XXX/AL	4.437	8.500	4.250	0.500	0.250	0.312	0.063	
NR415.5-731.5A-XXX/AL	4.484	7.984	3.625	0.375	0.188	0.188	0.050	OLG
NR416-500A-XXX/AL	4.500	5.000	4.500	0.625	0.312	0.312	0.063	
NR416-500B-XXX/AL	4.500	5.000	4.500	0.750	0.437	0.312	0.063	
NR416-600A-XXX/AL	4.500	6.000	4.500	0.250	0.250	0.250	0.063	OLT, ILT
NR416-600B-XXX/AL	4.500	6.000	4.500	0.375	0.375	0.250	0.063	
NR416-600C-XXX/AL	4.500	6.000	3.000	0.250	0.125	0.156	0.063	
NR416-712A-XXX/AL	4.500	7.375	4.000	0.500	0.188	0.187	0.063	
NR416-716A-XXX/AL	4.500	7.500	2.125	0.406	0.156	0.218	0.063	OLT
NR416-724A-XXX/AL	4.500	7.750	4.750	0.275	0.250	0.250	0.063	
NR416-800A-XXX/AL	4.500	8.000	4.500	0.500	0.190	0.170	0.063	
NR416.5-622.5A-XXX/AL	4.515	6.702	4.500	0.500	0.250	0.500	0.063	
NR417.5-817.5-XXX/AL	4.550	8.550	4.250	0.500	0.250	0.250	0.063	
NR420-626.5A-XXX/AL	4.625	6.827	4.625	0.500	0.250	0.500	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
4.625" - 4.875" Rectangles								
NR420-724A-XXX/AL	4.625	7.750	3.750	0.375	0.125	0.203	0.050	
NR420-724B-XXX/AL	4.625	7.750	3.750	0.375	0.250	0.203	0.050	
NR423.5-531.5A-XXX/AL	4.733	5.984	1.000	0.343	0.125	0.218	0.032	ILT
NR423.5-531.5C-XXX/AL	4.737	5.984	3.000	0.375	0.156	0.188	0.063	
NR424-500A-XXX/AL	4.750	5.000	3.500	0.312	0.156	0.156	0.040	
NR424-511A-XXX/AL	4.750	5.343	6.156	0.562	0.438	0.625	0.040	
NR424-600A-XXX/AL	4.750	6.000	4.937	0.500	0.250	0.250	0.050	
NR424-600C-XXX/AL	4.750	6.000	3.500	0.375	0.125	0.219	0.040	ILT
NR424-600D-XXX/AL	4.750	6.000	4.937	0.500	0.250	0.188	0.050	ILT
NR424-620A-XXX/AL	4.750	6.625	4.500	0.375	0.250	0.250	0.063	OLT, ILT
NR424-620B-XXX/AL	4.750	6.625	4.750	0.500	0.375	0.250	0.063	
NR424-916A-XXX/AL	4.750	9.500	4.500	0.437	0.250	0.250	0.063	
NR424-1024A-XXX/AL	4.750	10.750	4.500	0.500	0.375	0.375	0.063	OLT
NR424-1024B-XXX/AL	4.750	10.750	4.500	0.250	0.188	0.375	0.063	OLT
NR425-511A-XXX/AL	4.781	5.343	6.156	0.562	0.438	0.625	0.040	
NR425-826A-XXX/AL	4.781	8.812	2.406	0.437	0.188	0.188	0.050	
NR428-616A-XXX/AL	4.875	6.500	4.500	0.500	0.312	0.188	0.063	OLL

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
5.000" - 5.500" Rectangles								
NR500-516A-XXX/AL	5.000	5.500	5.000	0.625	0.312	0.312	0.063	
NR500-516B-XXX/AL	5.000	5.500	5.000	0.750	0.437	0.312	0.063	
NR500-600A-XXX/AL	5.000	6.000	5.000	0.625	0.312	0.312	0.063	OLT
NR500-600B-XXX/AL	5.000	6.000	5.000	0.750	0.437	0.312	0.063	OLT
NR500-700A-XXX/AL	5.000	7.000	5.250	0.625	0.312	0.312	0.063	OLT, ILT
NR500-700B-XXX/AL	5.000	7.000	5.250	0.750	0.437	0.312	0.063	OLT, ILT
NR500-712A-XXX/AL	5.000	7.375	2.000	0.380	0.250	0.250	0.063	
NR500-712B-XXX/AL	5.000	7.375	7.000	0.380	0.250	0.250	0.063	
NR500-716C-XXX/AL	5.000	7.500	3.500	0.312	0.125	0.125	0.050	OLL
NR500-800B-XXX/AL	5.000	8.000	3.500	0.500	0.250	0.250	0.063	
NR500-800C-XXX/AL	5.000	8.000	4.500	0.500	0.250	0.270	0.040	
NR500-813A-XXX/AL	5.000	8.406	5.000	0.312	0.312	0.312	0.063	
NR500-900A-XXX/AL	5.000	9.000	4.750	0.500	0.250	0.375	0.050	
NR500-900B-XXX/AL	5.000	9.000	5.000	0.500	0.375	0.375	0.050	
NR502-626C-XXX/AL	5.062	6.812	2.125	0.281	0.031	0.468	0.032	
NRS502.5-521.5A	5.080	5.670	1.565	0.500	0.093	0.093	0.020	
NR503.5-523A-XXX/AL	5.109	5.718	1.625	0.375	0.125	0.250	0.020	
NR505-517A-XXX/AL	5.156	5.531	5.000	0.500	0.250	0.250	0.050	
NR506-800A-XXX/AL	5.187	8.000	4.250	0.375	0.250	0.156	0.050	OLT, ILT
NR506-800B-XXX/AL	5.187	8.000	4.250	0.500	0.312	0.156	0.050	OLT, ILT
NR506-800C-XXX/AL	5.187	8.000	2.500	0.500	0.250	0.151	0.063	
NR508-1100A-XXX/AL	5.250	11.000	5.000	0.375	0.200	0.200	0.050	
NR508-1128A-XXX/AL	5.250	11.875	5.250	0.750	0.500	0.500	0.063	
NR509-910C-XXX/AL	5.281	9.312	0.437	0.343	0.090	0.437	0.063	
NR511-615A-XXX/AL	5.343	6.468	4.750	0.500	0.312	0.312	0.063	
NR512-806.5A-XXX/AL	5.375	8.200	6.000	0.500	0.312	0.312	0.063	
NR512-923A-XXX/AL	5.390	9.730	4.500	0.500	0.250	0.250	0.063	
NR514-925A-XXX/AL	5.566	9.906	4.500	0.500	0.250	0.250	0.063	
NR512-1713.5A-XXX/AL	5.375	17.421	3.250	0.500	0.380	0.380	0.063	
NR515.5-607.5A-XXX/AL	5.483	6.233	4.250	0.437	0.187	0.188	0.050	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
5.500" - 5.999" Rectangles								
NR516-608A-XXX/AL	5.500	6.250	5.500	0.500	0.190	0.200	0.050	
NR516-700A-XXX/AL	5.500	7.000	5.500	0.500	0.250	0.250	0.063	
NR516-800A-XXX/AL	5.500	8.000	5.000	0.625	0.250	0.250	0.063	OLT
NR516-800B-XXX/AL	5.500	8.000	5.000	0.750	0.375	0.250	0.063	OLT
NR516-920A-XXX/AL	5.500	9.625	4.750	0.625	0.375	0.375	0.063	
NR518-600A-XXX/AL	5.562	6.000	4.000	0.562	0.312	0.312	0.063	
NR518-829A-XXX/AL	5.562	8.906	5.500	0.312	0.144	0.144	0.063	
NR518-928C-XXX/AL	5.562	9.875	3.000	0.312	0.125	0.125	0.063	
NR520-720A-XXX/AL	5.625	7.625	5.000	0.500	0.312	0.312	0.063	
NR520-720B-XXX/AL	5.625	7.625	5.000	0.500	0.375	0.312	0.063	
NR522.5-602.5A-XXX/AL	5.703	6.078	5.500	0.562	0.250	0.750	0.090	
NR524-624A-XXX/AL	5.750	6.750	5.500	0.437	0.312	0.312	0.063	OLT
NR524-624B-XXX/AL	5.750	6.750	5.500	0.312	0.188	0.312	0.063	OLT
NR524-824A-XXX/AL	5.750	8.750	3.500	0.500	0.250	0.500	0.063	
NR526.5-604C-XXX/AL	5.827	6.125	0.375	0.312	0.093	0.125	0.063	
NR528-624A-XXX/AL	5.875	6.750	4.000	0.562	0.312	0.312	0.063	
NR528-700A-XXX/AL	5.875	7.000	5.000	0.500	0.188	0.188	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
6.000" - 6.999" Rectangles								
NR600-700A-XXX/AL	6.000	7.000	5.500	0.625	0.312	0.312	0.063	OLT, OLL
NR600-700B-XXX/AL	6.000	7.000	5.500	0.750	0.437	0.312	0.063	OLT, OLL
NR600-716A-XXX/AL	6.000	7.500	5.000	0.625	0.312	0.312	0.063	
NR600-716B-XXX/AL	6.000	7.500	5.000	0.750	0.437	0.312	0.063	
NR600-800A-XXX/AL	6.000	8.000	6.125	0.625	0.375	0.312	0.063	OLT, ILT
NR600-800B-XXX/AL	6.000	8.000	5.500	0.500	0.250	0.312	0.063	OLT, ILT
NR600-800C-XXX/AL	6.000	8.000	4.000	0.500	0.375	0.375	0.125	
NR600-900A-XXX/AL	6.000	9.000	6.000	0.625	0.312	0.312	0.063	OLT, OLL
NR600-900B-XXX/AL	6.000	9.000	6.000	0.750	0.437	0.312	0.063	OLT, OLL
NR600-900C-XXX/AL	6.000	9.000	6.000	0.750	0.288	0.288	0.090	OLT
NR600-900D-XXX/AL	6.000	9.000	6.000	0.500	0.312	0.312	0.090	
NR600-1200A-XXX/AL	6.000	12.000	6.000	0.750	0.500	0.500	0.063	
NR600-1200C-XXX/AL	6.000	12.000	3.000	0.312	0.125	0.500	0.063	
NR600-1316A-XXX/AL	6.000	13.500	5.750	0.687	0.500	0.500	0.063	
NR608-616A-XXX/AL	6.250	6.500	6.000	0.312	0.125	0.250	0.063	
NR612-906A-XXX/AL	6.375	9.187	5.500	0.375	0.250	0.250	0.063	
NR 612-906B-XXX/AL	6.375	9.187	5.500	0.500	0.375	0.250	0.063	
NR612-1000A-XXX/AL	6.375	10.000	5.000	0.500	0.312	0.312	0.063	
NR616-816A-XXX/AL	6.500	8.500	5.000	0.375	0.187	0.250	0.063	
NR616-912A-XXX/AL	6.500	9.375	5.250	0.500	0.250	0.500	0.063	OLT
NR624-625A-XXX/AL	6.750	6.781	2.500	0.437	0.187	0.250	0.050	
NR626.7-718A-XXX/AL	6.819	7.569	5.700	1.063	0.906	0.906	0.090	
NR628-812A-XXX/AL	6.875	8.375	6.000	0.500	0.312	0.500	0.063	
NR628-812B-XXX/AL	6.875	8.375	6.000	0.500	0.375	0.500	0.063	
NR631-715.4A-XXX/AL	6.970	7.481	3.286	0.500	0.170	0.170	0.050	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
7.000" - 7.999" Rectangles								
NR700-800A-XXX/AL	7.000	8.000	6.000	0.625	0.312	0.312	0.063	OLT
NR700-800B-XXX/AL	7.000	8.000	6.000	0.750	0.437	0.312	0.063	OLT
NR700-900A-XXX/AL	7.000	9.000	7.000	0.750	0.437	0.437	0.063	OLT
NR700-900B-XXX/AL	7.000	9.000	7.000	0.875	0.250	0.437	0.063	OLT
NR700-900C-XXX/AL	7.000	9.000	5.000	0.375	0.250	0.453	0.040	
NR700-1100A-XXX/AL	7.000	11.000	6.500	0.500	0.250	0.312	0.063	
NR700-1100B-XXX/AL	7.000	11.000	6.500	0.625	0.500	0.312	0.063	
NR700-1216A-XXX/AL	7.000	12.500	4.000	0.531	0.188	0.188	0.063	
NR702-1018A-XXX/AL	7.062	10.562	9.000	1.000	0.750	0.750	0.063	
NR704-920A-XXX/AL	7.125	9.625	5.000	0.562	0.312	0.500	0.063	
NR706-1800A-XXX/AL	7.187	18.000	7.000	0.750	0.440	0.500	0.090	
NR712-912C-XXX/AL	7.375	9.375	0.500	0.280	0.030	0.560	0.063	
NR714-914A-XXX/AL	7.437	9.437	3.500	0.375	0.125	0.625	0.063	
NR716-804A-XXX/AL	7.500	8.125	7.125	0.500	0.250	0.250	0.050	
NR716-804B-XXX/AL	7.500	8.125	7.500	0.500	0.250	0.239	0.063	
NR716-1200A-XXX/AL	7.500	12.000	5.000	1.000	0.250	0.750	0.090	
NR724-1016A-XXX/AL	7.750	10.500	7.500	0.750	0.500	0.500	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
8.000" - 8.999" Rectangles								
NR800-900A-XXX/AL	8.000	9.000	5.500	0.625	0.250	0.250	0.063	ILT
NR800-900B-XXX/AL	8.000	9.000	5.500	0.750	0.375	0.250	0.063	ILT
NR800-1000A-XXX/AL	8.000	10.000	7.500	0.750	0.437	0.437	0.063	
NR800-1100A-XXX/AL	8.000	11.000	7.500	1.250	0.875	0.875	0.063	
NR800-1100C-XXX/AL	8.000	11.000	5.750	0.750	0.500	1.000	0.063	
NR800-1400A-XXX/AL	8.000	14.000	7.250	1.125	0.875	0.875	0.063	
NR812-1116A-XXX/AL	8.375	11.500	6.000	0.750	0.500	0.560	0.063	
NR816-1200A-XXX/AL	8.500	12.000	9.000	1.250	1.000	1.000	0.063	
NR816-1400A-XXX/AL	8.500	14.000	7.500	0.500	0.250	0.250	0.063	
NR824-1200A-XXX/AL	8.750	12.000	8.000	0.750	0.500	0.750	0.063	
NR824-1324A-XXX/AL	8.750	13.750	4.250	0.625	0.500	0.750	0.090	
NR824-1324B-XXX/AL	8.750	13.750		0.500	0.500	0.760	0.063	
NR828-1025A-XXX/AL	8.875	10.781	5.500	1.000	0.125	0.500	0.063	

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
9.000" - 9.999" Rectangles								
NR900-1200A-XXX/AL	9.000	12.000	3.000	0.312	0.200	0.200	0.050	
NR904-1204A-XXX/AL	9.125	12.125	6.000	0.625	0.250	0.625	0.063	
NR906-1308A-XXX/AL	9.187	13.250	9.000	0.875	0.625	0.625	0.063	
NR912-1008A-XXX/AL	9.375	10.250	4.000	0.375	0.188	0.188	0.050	
NR912-1400A-XXX/AL	9.375	14.000	5.000	0.625	0.450	0.450	0.050	OLT

RECTANGLES (NR)

NORPIN RECTANGLES - ALUMINUM Less than 1" - 13.999" Wide Enclosures

INCHES

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
10.000" - 10.999" Rectangles								
NR1000-1200A-XXX/AL	10.000	12.000	8.000	1.250	1.000	1.000	0.090	
NR1000-1600A-XXX/AL	10.000	16.000	6.000	1.250	1.000	1.000	0.090	
NR1000-1802A-XXX/AL	10.000	18.062	6.000	1.312	1.000	1.000	0.090	
NR1002-1302A-XXX/AL	10.060	13.060	9.000	0.750	0.500	0.500	0.063	
NR1006-1206A-XXX/AL	10.187	12.187	2.500	0.750	0.187	0.500	0.063	
NR1008-1508A-XXX/AL	10.250	15.250	9.000	1.000	0.750	0.750	0.063	

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
12.000" - 12.999" Rectangles								
NR1200-1300B-XXX/AL	12.000	13.000	6.250	0.750	0.500	0.500	0.090	

PART NUMBER	WIDTH	LENGTH	TRIM HEIGHT MAXIMUM	TRIM HEIGHT MINIMUM	BOTTOM RADIUS	SIDE RADIUS	BLANK THICKNESS	COVERS
13.000" - 13.999" Square								
NR1301-1801A-XXX/AL	13.032	18.032	5.750	2.000	0.875	1.250	0.063	